



Patient name: Joe Q. Test Date of study: 07/17/2007




Patient name: Joe Q. Test Date of study: 07/17/2007


Baseline




Post stimulation period 1




Post stimulation period 2




Post stimulation period 3



Post stimulation period 4



Post stimulation period 5



Patient name: Joe Q. Test Date of study: 07/17/2007

	Bradygastria (1.0 - 2.5 cpm)	Normal (2.5 - 3.75 cpm)	Tachygastria (3.75 - 10.0 cpm)	Duodenal (10.0 - 15.0 cpm)	Entire Range (1 - 15 cpm)	Period (Minutes)
Distribution of average power by frequency region (as % of power in the 0 to 15 cpm range)	17.17	74.00	7.75	1.07	100.00	3.0 to 18.0
	75.50	5.55	17.42	1.52	100.00	0.0 to 15.0
	67.69	12.25	18.26	1.81	100.00	15.0 to 30.0
	26.86	61.06	10.55	1.53	100.00	30.0 to 45.0
	36.85	48.85	12.97	1.33	100.00	45.0 to 60.0
	45.19	23.08	29.35	2.38	100.00	60.0 to 66.0
Ratios of average powers (POSTprandial / PREprandial) by frequency range	5.62	0.10	2.87	1.82	1.28	0.0 to 15.0
	3.36	0.14	2.01	1.44	0.85	15.0 to 30.0
	1.82	0.96	1.58	1.66	1.16	30.0 to 45.0
	1.61	0.50	1.26	0.94	0.75	45.0 to 60.0
	1.08	0.13	1.55	0.91	0.41	60.0 to 66.0
Distribution of average power by frequency range	2.7314e+008	1.1770e+009	1.2329e+008	1.7043e+007	1.5905e+009	3.0 to 18.0
	1.5354e+009	1.1295e+008	3.5429e+008	3.1006e+007	2.0336e+009	0.0 to 15.0
	9.1888e+008	1.6628e+008	2.4790e+008	2.4508e+007	1.3576e+009	15.0 to 30.0
	4.9626e+008	1.1280e+009	1.9494e+008	2.8285e+007	1.8475e+009	30.0 to 45.0
	4.4070e+008	5.8418e+008	1.5505e+008	1.5940e+007	1.1959e+009	45.0 to 60.0
	2.9391e+008	1.5012e+008	1.9084e+008	1.5453e+007	6.5032e+008	60.0 to 66.0
Average dominant frequency (+- Standard Deviation)		2.67 (0.19)				3.0 to 18.0
	1.88 (1.03)					0.0 to 15.0
	2.00 (1.39)					15.0 to 30.0
		2.60 (0.17)				30.0 to 45.0
	2.38 (0.46)					45.0 to 60.0
	1.83 (1.23)					60.0 to 66.0
Percentage (%) time with dominant frequency in the various frequency ranges	0 %	100 %	0 %	0 %		3.0 to 18.0
	92 %	0 %	8 %	0 %		0.0 to 15.0
	83 %	8 %	8 %	0 %		15.0 to 30.0
	0 %	100 %	0 %	0 %		30.0 to 45.0
	25 %	75 %	0 %	0 %		45.0 to 60.0
	67 %	33 %	0 %	0 %		60.0 to 66.0

Patient name: Joe Q. Test Date of study: 07/17/2007

Event Log

Key:

C: Cough
M: Movement
P: Pain
V: Vomiting

I: Ingestion
N: Nausea
T: Talking
O: Other

Baseline

Post stimulation period 1

Post stimulation period 2

Post stimulation period 3

Post stimulation period 4

Post stimulation period 5